



REMUS
SPORTEXHAUST

REMUS product information 33-2016

SEAT Leon Cupra ST, type 5F, 2014=>

Dear **REMUS** Partner,

We are pleased to inform you that we have extended the EC approval of the

SEAT Leon Cupra ST, type 5F to the **2.0l TSI engine with 213 kW**

It would be a pleasure for us to receive your orders.

Stay tuned!

Your **REMUS** Team





REMUS

SPORTEXHAUST



**#14SS: tail pipe 142x72 mm
angled/angled, chromed**




**#04G: tail pipe Ø 76 mm,
straight cut, chromed**



REMUS Leistungsdiagramm REMUS dyno chart

Seat Leon Cupra Type 5F



Irrtümer und Änderungen vorbehalten! / Errors and omissions excepted!



REMUS Innovation GmbH
Dr.-Niederdorfer-Straße 25, A-8572 Bärnbach, Tel.: 0043 (0)3142 / 6900-0, office@remus.at, www.remus.eu

www.remususa.com

www.remus.cn



REMUS Innovation GmbH, Dr.-Niederdorfer-Straße 25, A-8572 Bärnbach
Phone/Tel.: 0043 (0) 3142 / 6900-0, fax/Fax: 0043 (0) 3142 / 6900-290, office@remus.at, www.remus.eu



REMUS

SPORTEXHAUST

Car and engine specification

SEAT Leon Cupra ST, type 5F, 2014=>

2.0I TSI 213 kW (CJXH)

2.0I TSI 195 kW (CJXE); 2.0I TSI 206 kW (CJXA)

Part no.	Description	€ RRP price excl. VAT
955113 1100	Stainless steel RACING downpipe, with sport catalytic convertor (200 CPSI), without homologation, can only be installed in combination with the REMUS cat-back section. Original tube Ø 60 mm / REMUS tube Ø 70 mm	874,--
796515 0300	Stainless steel resonated cat-back section, can only be installed in combination with the REMUS sport exhaust, with EEC homologation. Original tube Ø 60 mm / REMUS tube Ø 65 mm	260,--
796515 0500LR	Stainless steel L&R sport exhaust system (without tail pipes), with EEC homologation. Original tube Ø 60 mm / REMUS tube Ø 65 mm	525,--
Choose from following tail pipe package::		
0026 04G	Stainless steel tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight cut, chromed, with adjustable spherical clamp connection	300,--
0026 14SS	Stainless steel tail pipe set L/R consisting of 2 tail pipes 142x72 mm angled/angled, chromed, with adjustable spherical clamp connection	190,--


INFOBOX:

- Sport exhaust and tail pipe set only fit as a complete system!
- **Axle-back-system:** 796515 0500LR + tail pipe set. The original exhaust will need to be cut at the manufacturer marked cutting point! No rear skirt modifications required!
- **Cat-back-system:** 796515 0300 + 796515 0500LR + tail pipe set. No vehicle modifications required!
- **Turbo-Back system:** 955113 1100 + 796515 0300 + 796515 0500LR + tail pipe set. No vehicle modifications required!
- When installing **REMUS downpipes with or without the racing catalytic convertor**, which are only suitable **for closed road driving**, it is important to note that ECU tuning is required to ensure that the engine runs and performs efficiently and to ensure that the CEL does not come on.



REMUS

SPORT EXHAUST



Under <http://www.remus.eu/powerizer/> and <http://www.remus.eu/remusresponder> you will find the entire product range, prices and installation instructions.

REMUS Powerizer: More power, more economy and more fun.

- Up to 25 % more power
- Up to 20 % more torque
- Up to 1l/100 km fuel saving
- Fully adjustable power increase
- Simple DIY installation (Plug & Play)

REMUS POWERIZER: The performance figures represent the maximum achievable values. The actual performance output depends on the original tolerances of each engine. REMUS delivers the POWERIZER with the best possible setting for your vehicle type. You can adjust the performance according to your requirements as per the POWERIZER instructions

Legal references

1. Completion and registration of chip tuning in the car documents

Due to chip tuning, the operating license of the vehicle will terminate if the installation and registration of the POWERIZER is not carried out or immediately reported to an official approved testing facility. Please consider that driving a vehicle without the required operating license will cause legal penalties.

2. Vehicle insurance must be informed upon installing a POWERIZER

The installation of the POWERIZER can have influence on the insurance policy of your vehicle. You must inform the insurance company if you install a POWERIZER in your vehicle.

3. Effect of chip tuning on warranty and guarantee claims

- a) When installing a POWERIZER, you will lose all guarantee claims regarding the engine against the vehicle manufacturer.
- b) Installing a POWERIZER, can have influence on warranty claims against the seller of the vehicle.
- c) REMUS excludes any claims regarding compensation for damages on the engine and drivetrain.



REMUS

SPORT EXHAUST



REMUS

responder

Under <http://www.remus.eu/powerizer/> and <http://www.remus.eu/remusresponder> you will find the entire product range, prices and installation instructions.

REMUS RESPONDER:

Improved throttle response, more dynamic!

The REMUS Responder improves throttle response by means of modifying the accelerator pedal output signal. No more throttle delay and reduced lag during automatic shifting makes driving with the REMUS Responder more fun. The Responder attaches between the OEM pedal sensor and the OEM connector, ready to use in seconds due to plug & play technology. Sophisticated adjustable programming profiles can lead to improved fuel consumption and more efficiency. The 4 individual user selectable and adjustable performance settings allow drivers to select according to their own preferences.

The REMUS Responder totally eliminates the delay in modern electronic accelerator pedals!

