REMUS tail pipe set 0026 99CSS

- AUDI RS4 Avant Quattro, B9, Typ 8W5, 10/2017=>
  2.9l Turbo 331 kW (Motor code: DECA, KBA-Nr. 1860AAS)
- AUDI RS5 Quattro Coupe, B8 Typ F5, 06/2017=>
  2.9l V6 Biturbo 331 kW (DECA)
- AUDI RS3 Sportback, type 8V, 4/2015=>
  2.5l Turbo 270 kW

Car and engine specification		
AUDI RS4 Avant Quattro, B9, type 8W5, 10/2017=> 2.9l Turbo 331 kW (Motor code: DECA, KBA-Nr. 1860AAS)		
INFOBOX: • **Axle-back-system (including center-section):** 047017 0000 + 047017 0500LR + tail pipe set! No vehicle modifications required! • **Cat-back-system (from main catalytic downpipes):** 048017 1200 (No EC type approval) + 047017 0000 + 047017 0500LR + tail pipe set! No vehicle modifications required! • The use of racing products and products which do not have EC approval is generally not permitted on public roads. • When installing REMUS axle-back and cat-back or catalyst delete tubes on vehicles which are used for closed road driving, it is advisable to tune the ECU for a maximum gain in performance and to ensure that the CEL does not come on.		
Part no.	**Description**	**€ RRP price excl. VAT**
048017 1200	Stainless steel non-resonated RACING front-section with flex joints, No EC type approval Original tube Ø 65 mm - REMUS tube Ø 70 mm	**360,--**
047017 0000	Stainless steel non-resonated center section, incl. EC type approval Original tube Ø 65 mm - REMUS tube Ø 70 mm	**370,--**
047017 0500LR	Stainless steel sport exhaust L/R (without tail pipes) with integrated valves, incl. EC type approval Original tube Ø 65 mm, REMUS tube Ø 70 mm The activation of the valves is carried out using the original actuators via the vehicle onboard electronics.	**1.280,--**
Choose from following tail pipe package:		
0026 99CSS	Carbon tail pipe set 2 tail pipes 175x108 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	**810,--**
0046 55S	Stainless steel tail pipe set 4 tail pipes Ø 84 mm angled, rolled edge, chromed, with adjustable spherical clamp connection	**320,--**
0046 83C	Stainless steel tail pipe set 4 tail pipes Ø 84 mm Street Race, straight, carbon insert, with adjustable spherical clamp connection	**392,--**
0046 83CS	Stainless steel tail pipe set 4 tail pipes Ø 84 mm Carbon Race, angled, carbon ring, with adjustable spherical clamp connection	**408,--**
0046 83CB	Stainless steel tail pipe set 4 tail pipes Ø 84 mm Street Race Black Chrome, straight, carbon insert, with adjustable spherical clamp connection	**440,--**
0046 83CTS	Carbon tail pipe set 4 tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	**780,--**

Car and engine specification		
AUDI RS5 Quattro Coupe, B8 type F5, 06/2017=> 2.9l V6 Biturbo 331 kW (DECA)		
INFOBOX: • **Cat-back-system (from secondary, underbody catalytic converter):** 048017 0000 + 048017 0500LR +tail pipe set! No vehicle modifications required! • **Cat-back-system (from main catalytic converter):** 048017 1200 (No EC type approval) + 048017 0000 + 048017 0500LR + tail pipe set! No vehicle modifications required! • The use of racing products and products which do not have EC approval is generally not permitted on public roads. • When installing REMUS axle-back and cat-back or catalyst delete tubes on vehicles which are used for closed road driving, it is advisable to tune the ECU for a maximum gain in performance and to ensure that the CEL does not come on.		
Part no.	**Description**	**€ RRP price excl. VAT**
048017 1200	Stainless steel non-resonated RACING front section with flex joints (deletes secondary catalytic convertors), No EC type approval Original tube Ø 65 mm - REMUS tube Ø 70 mm	**360,--**
048017 0000	Stainless steel non-resonated secondary cat-back section, incl. EC type approval Original tube Ø 65 mm - REMUS tube Ø 70 mm	**350,--**
048017 0500LR	Stainless steel sport exhaust L/R (without tail pipes) with integrated valves, can only be installed together with 048017 0000, incl. EC type approval Original tube Ø 65 mm - REMUS tube Ø 70 mm The activation of the valves is carried out using the original actuators via the vehicle onboard electronics.	**1.250,--**
Choose from following tail pipe package:		
0026 99CSS	Carbon tail pipe set 2 tail pipes 175x108 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	**810,--**
0046 55S	Stainless steel tail pipe set 4 tail pipes Ø 84 mm angled, rolled edge, chromed, with adjustable spherical clamp connection	**320,--**
0046 83C	Stainless steel tail pipe set 4 tail pipes Ø 84 mm Street Race, straight, carbon insert, with adjustable spherical clamp connection	**392,--**
0046 83CS	Stainless steel tail pipe set 4 tail pipes Ø 84 mm Carbon Race, angled, carbon ring, with adjustable spherical clamp connection	**408,--**
0046 83CB	Stainless steel tail pipe set 4 tail pipes Ø 84 mm Street Race Black Chrome, straight, carbon insert, with adjustable spherical clamp connection	**440,--**

Car and engine specification
AUDI RS3 Sportback, type 8V, 4/2015=> 2.5l Turbo 270 kW
INFOBOX: • **Cat-back-system (from secondary, underbody catalytic converter):** 047015 0300 or 047015 0000 (No EC type approval) + 047015 1500 + tail pipe set! No vehicle modifications required! Resonated front section or non-resonated front section and sport exhaust L/R with tail pipe set only fits as a complete system! • **Cat-back-system (from main catalytic downpipe):** 047015 1200 (No EC type approval) + 047015 0300 or 047015 0000 (No EC type approval) + 047015 1500 + tail pipe set! No vehicle modifications required! RACING catalytic delete front section, resonated front section or non-resonated front section and sport exhaust L/R with tail pipe set only fits as a complete system! • The use of racing products and products which do not have EC approval is generally not permitted on public roads. • When installing REMUS axle-back and cat-back or catalyst delete tubes on vehicles which are used for closed road driving, it is advisable to tune the ECU for a maximum gain in performance and to ensure that the CEL does not come on.

Part no.	Description	€ RRP price excl. VAT
047015 1200	Stainless steel non-resonated RACING front section with flex joints (deletes secondary catalytic convertors), No EC type approval Original tube Ø 65 mm - REMUS tube Ø 70 mm	**280,00**
047015 0000	Non-resonated RACING cat-back section, No EC type approval REMUS tube Ø 76 mm	**260,00**
047015 0300	Resonated secondary cat-back section, incl. EC type approval REMUS tube Ø 76 mm	**360,00**
047015 1500	Sport exhaust centered L/R (without tail pipes) with 2 integrated valves, incl. EC type approval REMUS tube Ø 76 mm The supplied actuators activate the valves to factory preset positions via the vehicle onboard electronics.	**1.180,00**
Choose from following tail pipe package:		
0026 99CSS	Carbon tail pipe set 2 tail pipes 175x108 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	**810,--**
0046 55S	Stainless steel tail pipe set 4 tail pipes Ø 84 mm angled, rolled edge, chromed, with adjustable spherical clamp connection	**320,--**
0046 83C	Stainless steel tail pipe set 4 tail pipes Ø 84 mm Street Race, straight, carbon insert, with adjustable spherical clamp connection	**392,--**
0046 83CS	Stainless steel tail pipe set 4 tail pipes Ø 84 mm Carbon Race, angled, carbon ring, with adjustable spherical clamp connection	**408,--**
0046 83CB	Stainless steel tail pipe set 4 tail pipes Ø 84 mm Street Race Black Chrome, straight, carbon insert, with adjustable spherical clamp connection	**440,--**
0046 83CTS	Carbon tail pipe set 4 tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	**780,--**