

# VW Golf VII GTI Performance Facelift

type AU, 11/2018=>

2.0l TSI 180 kW (DKTB, with GPF)

+ 3,2 HP  
+ 2,5 Nm



0026 70CS



0026 70S



0026 70SG



0026 98C



0026 98CB



<b>Car and engine specification</b>		
<b>VW Golf VII GTI Performance Facelift, type AU, 11/2018=&gt;</b> 2.0l TSI 180 kW (DKTB, with GPF)		
<b>INFOBOX:</b>		
<ul style="list-style-type: none"> <li>• <b>Axle-back-system dual L/R, for original rear skirt:</b> 955213 0000 + 796117 1500 or 956017 1600 (No EC type approval) + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!</li> <li>• <b>GPF-back-system dual L/R, for original rear skirt:</b> 796118 0300 or 955213 1000 (No EC type approval) + 955213 0000 + 796117 1500 or 956017 1600 (No EC type approval) + tail pipe set! No vehicle modifications required!</li> <li>• The use of racing products and products which do not have EC approval is generally not permitted on public roads.</li> <li>• When installing REMUS axle-back and cat-back or catalyst delete tubes on vehicles which are used for closed road driving, it is advisable to tune the ECU for a maximum gain in performance and to ensure that the CEL does not come on.</li> </ul>		
<b>Part no.</b>	<b>Description</b>	<b>€ RRP price excl. VAT</b>
<b>955213 1000</b>	Non-resonated RACING GPF-back section, replaces original front silencer, can only be installed in combination with the REMUS sport exhaust, Original tube Ø 65 mm - REMUS tube Ø 70 mm No EC type approval	<b>185,--</b>
<b>796118 0300</b>	Resonated GPF-back front section, can only be installed in combination with the REMUS sport exhaust or non resonated L/R Racing system, incl. EC type approval Original tube Ø 65 mm - REMUS tube Ø 70 mm	<b>346,--</b>
<b>955213 0000</b>	Connection tube for mounting the L/R sport exhaust or the non-resonated L/R RACING systems	<b>105,--</b>
<b>796117 1500</b>	Sport exhaust centered dual for L/R system (without tail pipes, without connecting tube), suitable for the original rear skirt, incl. EC type approval Original tube Ø 65 mm - REMUS tube Ø 70 mm	<b>369,--</b>
<b>956017 1600</b>	Non resonated dual L/R RACING system (without tail pipes, without connecting tube), suitable for the original rear skirt Original tube Ø 65 mm - REMUS tube Ø 70 mm No EC type approval	<b>260,--</b>
<b>Choose from following tail pipe package:</b>		
<b>0026 70SG</b>	Stainless steel tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	<b>154,00</b>
<b>0026 70S</b>	Stainless steel tail pipe set 2 tail pipes Ø 102 mm angled, rolled edge, chromed, with adjustable spherical clamp connection	<b>178,00</b>
<b>0026 70CS</b>	Carbon tail pipe set 2 tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	<b>438,00</b>
<b>0026 98C</b>	Stainless steel tail pipe set 2 tail pipes Ø 98 mm Street Race, straight, carbon insert, with adjustable spherical clamp connection	<b>232,00</b>
<b>0026 98CB</b>	Stainless steel tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, straight, carbon insert, with adjustable spherical clamp connection	<b>256,00</b>

Car and engine specification		
<b>VW Golf VII GTI Performance Facelift, type AU, 11/2018=&gt;</b> 2.0I TSI 180 kW (DKTB, with GPF)		
<b>INFOBOX:</b>		
<ul style="list-style-type: none"> <li>• <b>Axle-back-system quad L/R:</b> 955213 0000 + 957117 1500 + tail pipe set! The original exhaust must be cut! Can only be installed in combination using the original diffuser of the VW Golf VII R Facelift, VW part no. 5G6 807 568 AA.</li> <li>• <b>GPF-back-system quad L/R:</b> 796118 0300 or 955213 1000 (No EC type approval) + 955213 0000 + 957117 1500 + tail pipe set! No cutting of the original exhaust system required! Can only be installed in combination using the original diffuser of the VW Golf VII R Facelift, VW part no. 5G6 807 568 AA.</li> <li>• The use of racing products and products which do not have EC approval is generally not permitted on public roads.</li> <li>• When installing REMUS axle-back and cat-back or catalyst delete tubes on vehicles which are used for closed road driving, it is advisable to tune the ECU for a maximum gain in performance and to ensure that the CEL does not come on.</li> </ul>		
Part no.	Description	€ RRP price excl. VAT
955213 1000	Non-resonated RACING GPF-back section, replaces original front silencer, can only be installed in combination with the REMUS sport exhaust, Original tube Ø 65 mm - REMUS tube Ø 70 mm No EC type approval	185,--
796118 0300	Resonated GPF-back front section, can only be installed in combination with the REMUS sport exhaust or non resonated L/R Racing system, incl. EC type approval Original tube Ø 65 mm - REMUS tube Ø 70 mm	346,--
955213 0000	Connection tube for mounting the L/R sport exhaust or the non-resonated L/R RACING systems	105,--
957117 1500	Sport exhaust quad L/R system ( without tail pipes, without connecting tube), incl. EC type approval Original tube Ø 65 mm - REMUS tube Ø 70 mm Can only be installed in combination using the original diffuser of the VW Golf VII R Facelift, VW part no. 5G6 807 568 AA.	699,--
<b>Choose from following tail pipe package:</b>		
0046 70SG	Stainless steel tail pipe set 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	308,00
0046 70S	Stainless steel tail pipe set 4 tail pipes Ø 102 mm angled, rolled edge, chromed, with adjustable spherical clamp connection	356,00
0046 70CS	Carbon tail pipe set 4 tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	876,00
0046 98C	Stainless steel tail pipe set 4 tail pipes Ø 98 mm Street Race, straight, carbon insert, with adjustable spherical clamp connection	464,00
0046 98CB	Stainless steel tail pipe set 4 tail pipes Ø 98 mm Street Race Black Chrome, straight, carbon insert, with adjustable spherical clamp connection	492,00